

L Number	Hits	Search Text	DB	Time stamp
-	295	710/4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/22 20:04
-	848	710/10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 14:45
-	645	710/15	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 14:45
-	238	710/17	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 14:45
-	385	710/18	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 14:45
-	345	710/19	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 14:45
-	499	710/20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 14:45
-	316	710/21	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 14:45
-	0	u10/244	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 14:45
-	376	710/244	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 14:45
-	3025	710/4 or 710/10 or 710/15 or 710/17 or 710/18 or 710/19 or 710/20 or 710/21 or 710/244	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 14:46
-	1	(710/4 or 710/10 or 710/15 or 710/17 or 710/18 or 710/19 or 710/20 or 710/21 or 710/244) and ((prevent\$5 or stop\$5 or avoid\$5) with (loop near5 initializ\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 14:49
-	46	(prevent\$5 or stop\$5 or avoid\$5) with (loop near5 initializ\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 14:59
-	10	(prevent\$5 or stop\$5 or avoid\$5) with (network near5 (reinitializ\$6 or re-initializ\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 15:28

-	15	(prevent\$5 or stop\$5 or avoid\$5) with ((reinitializ\$6 or re-initializ\$6) near5 device\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 16:14
-	9	(close or remove or add or delete or open) with without with (re-initializ\$6 or reinitialization)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 16:21
-	0	((quasi adj2 open)or quasi-open) with (reinitialization or re-initialization)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 16:23
-	77	(quasi adj2 open)or quasi-open	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 16:25
-	11	((quasi adj2 open)or quasi-open).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 16:23
-	77	(quasi adj2 open)or quasi-open with communication	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 19:01
-	60	(semi or partial) near3 open with communication	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 19:05
-	21	semi near3 open with communication	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 19:08
-	8	((semi or partial) near3 open with communication).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 19:09
-	39	((semi or partial) near3 open with communication) not (semi near3 open with communication)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 19:08
-	33	((semi or partial) near3 open with communication) not (semi near3 open with communication) not ((semi or partial) near3 open with communication).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 19:08
-	2	((semi or partial) near3 (open or mode\$3 or stat\$3) with adapter\$2).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 19:11
-	17	((semi or partial or multiple) near3 (open or mode\$3 or stat\$3) with adapter\$2).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 19:13
-	165	((semi or partial) near3 (open or mode\$3 or stat\$3) with (fiber or fibre)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 19:16

-	50	((semi or partial) near3 (open or mode\$3 or stat\$3) with network).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 19:17
-	163	((semi or partial) near3 (open or mode\$3 or stat\$3) with (fiber or fibre)).ab.) not ((semi or partial) near3 (open or mode\$3 or stat\$3) with network).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 19:18
-	205	(semi or partial) near3 (open or mode\$3 or stat\$3) with network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 20:13
-	20590	(change or switch or transfer) with (open or close or semi) with state\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 20:06
-	39	((change or switch) with semi with state\$2 with control\$5).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 20:11
-	0	change near3 (close or off) with (semi or partial) near3 (open or on) with (state\$3 or mode\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 20:17
-	7	change with (close or off) same (semi or partial) with (open or on) same (state\$3 or mode\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 20:19
-	133	chang\$5 near3 (state\$3 or mode\$3) with (close or off) with request\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 20:22
-	0	chang\$5 near3 (state\$3 or mode\$3) with (close or off) with request\$3 same (fiber or fibre)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 20:25
-	5	chang\$5 near3 (state\$3 or mode\$3) with (close or off) with request\$3 same network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 20:28
-	3065	chang\$5 with multiple with (state\$3 or mode\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 20:30
-	13	(chang\$5 with multiple with (state\$3 or mode\$3) with network).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 20:31
-	69	chang\$5 with multiple with (state\$3 or mode\$3) with network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 20:49
-	2242	(chang\$5 or switch\$5) with connection with (state\$3 or mode\$3) with network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 20:56

-	48	((chang\$5 or switch\$5) with connection with (state\$3 or mode\$3) with (fiber or fibre)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 20:54
-	63	(chang\$5 or switch\$5) with connection near3 (state\$3 or mode\$3) with (fiber or fibre)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 21:10
-	43	((chang\$5 or switch\$5) with connection near3 (state\$3 or mode\$3) with (fiber or fibre)) not ((chang\$5 or switch\$5) with connection with (state\$3 or mode\$3) with (fiber or fibre)).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 20:59
-	1300	connection with (manage\$5 or control\$5) with (fiber or fibre)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 21:18
-	295	(connection with (manage\$5 or control\$5) with (fiber or fibre)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 21:23
-	0	(connection with (manage\$5 or control\$5) with (fiber or fibre) with semi).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 21:22
-	4	(connection near3 state\$2 with (manage\$5 or control\$5) with (fiber or fibre)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 21:24
-	11	((connection with (manage\$5 or control\$5) with (fiber or fibre)).ab.) with state\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/22 21:25
-	16	efficient with (control\$5 or manag\$5) with (fiber or fibre) with (connection or communication)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/24 15:36
-	4	efficient with (control\$5 or manag\$5) with (fiber or fibre) with (connection or communication) same (link\$2 or access\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/24 15:40
-	607	(efficient with (control or management) with communication).ab,ti,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/24 15:52
-	1098	(efficient with data with communication).ab,ti,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/24 15:59
-	3	((efficient with (control or management) with communication).ab,ti,clm.) with (fiber or fibre)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/24 15:53
-	4	((efficient with data with communication).ab,ti,clm.) with (fibre or fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/24 15:54

-	2	((efficient with data with communication).ab,ti,clm.) with (semi or partial)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/24 16:00
-	1	((efficient with (control or management) with communication).ab,ti,clm.) with (semi or partial)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/24 16:00
-	15272	((semi or partial) near5 (connection\$3 or control\$4 or access\$5)).ab,ti,clm.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/25 16:37
-	33359	((semi or partial) with (connection\$3 or control\$4 or access\$5)).ab,ti,clm.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/25 16:54
-	185	((semi or partial) with (connection\$3 or control\$4 or access\$5)).ab,ti,clm.) with (fiber or fibre)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/25 16:55
-	70	((semi or partial) near5 (connection\$3 or control\$4 or access\$5)).ab,ti,clm.) with (fiber or fibre)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/25 17:26
-	130	((request\$3 or command\$3 or instruct\$4) near2 (close or turn-off or terminat\$3) near2 channel)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/31 12:16
-	1	((request\$3 or command\$3 or instruct\$4) near2 (close or turn-off or terminat\$3) near2 channel)) same (semi\$5 or quasi\$5 or partial\$5)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/31 14:53
-	26	((request\$3 or command\$3 or instruct\$4) near2 (close or turn-off or terminat\$3) near2 channel)) and (semi\$5 or quasi\$5 or partial\$5)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/18 19:14

-	181	("5610745" "6000020" "5848251" "5898828" "5935205" "5941972" "6041381" "6057863" "6065087" "6118776" "6151331" "6173374" "6185203" "6185631" "6199112" "6209023" "6230218" "6240446" "6252544" "6389432" "6400730" "6421753" "6425035" "6425036" "6429812" "6446141" "6470007" "6534716" "5933037" "5515035" "6134035" "6181729" "5519695" "5894481" "6112006" "6205141" "5285272" "5504743" "5598541" "5603064" "5805788" "5841971" "5862313" "5883922" "5905587" "5925119" "5944798" "5954796" "6005849" "6014383").pn. ("6047096" "6049405" "6061753" "6061753" "6115361" "6134617" "6138161" "6148421" "6157963" "6158014" "6185620" "6233236" "6243510" "6314488" "6330585" "6341315" "6347334" "6353612" "6374314" "6381642" "6393539" "6460113" "6463498" "64652370.wsp" "6493750" "6499058"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 17:46
---	-----	--	---	------------------

-	0	(("5610745" "6000020" "5848251" "5898828" "5935205" "5941972" "6041381" "6057863" "6065087" "6118776" "6151331" "6173374" "6185203" "6185631" "6199112" "6209023" "6230218" "6240446" "6252544" "6389432" "6400730" "6421753" "6425035" "6425036" "6429812" "6446141" "6470007" "6534716" "5933037" "5515035" "6134035" "6181729" "5519695" "5894481" "6112006" "6205141" "5285272" "5504743" "5598541" "5603064" "5805788" "5841971" "5862313" "5883922" "5905587" "5925119" "5944798" "5954796" "6005849" "6014383").pn. ("6047096" "6049405" "6061753" "6061753" "6115361" "6134617" "6138161" "6148421" "6157963" "6158014" "6185620" "6233236" "6243510" "6314488" "6330585" "6341315" "6347334" "6353612" "6374314" "6381642" "6393539" "6460113" "6463498" "6493750" "6499058"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 17:48
Search History 4/19/2003 4:50:07 PM Page 7 C:\APPS\east\workspace\0862370.wsp				

-	23	({"5610745" "6000020" "5848251" "5898828" "5935205" "5941972" "6041381" "6057863" "6065087" "6118776" "6151331" "6173374" "6185203" "6185631" "6199112" "6209023" "6230218" "6240446" "6252544" "6389432" "6400730" "6421753" "6425035" "6425036" "6429812" "6446141" "6470007" "6534716" "5933037" "5515035" "6134035" "6181729" "5519695" "5894481" "6112006" "6205141" "5285272" "5504743" "5598541" "5603064" "5805788" "5841971" "5862313" "5883922" "5905587" "5925119" "5944798" "5954796" "6005849" "6014383").pn. ("6047096" "6049405" "6061753" "6061753" "6115361" "6134617" "6138161" "6148421" "6157963" "6158014" "6185620" "6233236" "6243510" "6314488" "6330585" "6341315" "6347334" "6353612" "6374314" "6381642" "6393539" "6460113" "6463498" "6493750" "6499058"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 17:49
Search History 4/19/03 2:50:07 PM Page 8 C:\APPS\east\workspace\0862370.wsp				

-	0	((request\$3 or command\$3 or instruct\$4) near2 (close or turn-off or terminat\$3) near2 channel)) with sleep	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/18 19:15
-	3	((request\$3 or command\$3 or instruct\$4) with (close or turn-off or terminat\$3) with connection)) with sleep	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/18 19:22
-	4	((request\$3 or command\$3 or instruct\$4) with (close or turn-off or terminat\$3) with connection)) same sleep	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/18 19:22
-	0	processor\$2 with memory with nonvolatile with (fiber or fibre)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/19 14:40
-	1564	processor\$2 with memory with nonvolatile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/19 14:40
-	363480	(processor\$2 with memory with nonvolatile) same fiber or fibre	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/19 14:41
-	8	(processor\$2 with memory with nonvolatile) same (fiber or fibre)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/19 14:41